



BREDA MECCANICA BRESCIANA

BREDA MECCANICA BRE-SCIANA, manufacturers of the finest automatic shot guns on the market which have had so many successes and have been so acclaimed both in Italy and abroad, are now very proud to present their new « SI-RIUS » 12 gauge Over and Under Shot Gun.

With all the experience of their technicians and the most advanced means of scientific research at their disposal, it has been possible to design and manufacture this Over and Under Shot Gun so that it represents the best the Italian Shot Gun Industry has ever produced in this field.



SINGLE TRIGGER OVER AND UNDER

MAIN SPECIFICATION

- 1 12 GAUGE: chambered for 2 3/4 inch cartridges (or 2 3/4 inch chambers).
- 2 EJECTORS: automatic and selective.
- BARRELS: made from special BREDA steel with bores hard chromed by patented process. This makes them impervious to rust, pitting and corrosion and minimises the necessity for cleaning.

 Barrel length: 28 inch and 30 inch.
 - Choke: normal for hunting and trap shooting.
- 4 RIB: ventilated type.
- TRIGGER: single selective type, firing each barrel consecutively and operated mechanically **not** by recoil. Normal firing is: First: under barrel. Second: over barrel. The Selector reverses this order so that the over barrel is fired first and the under barrel second.

6 **SELECTOR:** the Selector comprises two plungers located on the top of the frame. Each is marked with the number of the barrel it controls.

When the gun is cocked, it is always set automatically for firing the under barrel first.


If it is required to fire the over barrel first, the plunger marked <2> is pushed down and this immediately sets the gun for firing the over barrel next shot. The opening of the gun for cartridge case ejection and reloading, automatically sets the firing position to normal, that is to say to firing the under barrel first, as stated above.

The Selector can be operated both when the safety is on and when the gun is ready for firing.

NOTE: On request, the «SIRIUS» Over and Under Shot Gun can be supplied without the Selector plungers. In this case it will have a non-selective trigger firing always the under barrel first.

7 STOCK: made from selected Walnut with either straight hand or pistol grip. Finely checkered.
Length: 14 1/8 inch approximate drop at heel 2 inch to 2 1/2 inches.

- 8 FORE-END: Normal type, finely checkered. Simple to remove.
- **FRAME:** made from a solid piece of high strength special steel which guarantees maximum solidity.
- SAFETY: the gun has a hand controlled safety located on the top of the frame. An internal safety system prevents the movement of the hammers if the gun is not completely locked.
- FIRING PINS: to prevent the rim of the case in the under barrel coming up against the over barrel firing pin when the gun is opened, the operation of the top lever causes both firing pins to move back automatically.
- WEIGHT: about 6 1/2 to 7 1/2 lbs. according to barrel length.



On request, the «Sirius» Over and Under Shot Gun can be supplied with the following variations at extra cost:

- * Barrels of any length and choke.
- * Stock to special measurements and with special shape and finish.
- * Rubber Recoil Pad.
- * Sling Swivels.
- * Without Selector Plungers.
- * Engraved action in De Luxe and extra De Luxe finishes.



BREDA MECCANICA BRESCIANA

via lunga, 2 - BRESCIA - tel. 45-4-61

(Italy)